

Honey technological line with wide range of options, used for producing honey, both in large and small quantities, regardless of the quality of the initial product.



Universal high performing system

The line consists of: honey homogenizer, lift feeder, dispenser/ honey filler and grid for pre-melting honey.

This technological line has a universal high-performing system and thanks to its modular design and wide range of options, can be used for producing honey, both in large and small quantities, regardless of the quality of the initial product.


Model: HH Line Pro

Grid for pre-melting honey

It may optionally be installed on the homogenizer lid for pre-treatment melting of honey which is in the solid form. Heating is secured by water recirculation. Pre-melting can significantly reduce melting time and the homogenization process of honey.

Lift Feeder

Lift-feeder for loading honey from containers into a homogenizer. The lift is equipped with a hydraulic or pneumatic lifting mechanism. Made of stainless steel AISI 304. Capacity 2 containers with a capacity of 23 l. One load time of up to 90 seconds.



Honey Homogenizer


Homogenizer for honey is intended for the thorough mixing and homogenization of different types of honey, which improves its user properties and enables the certification of a whole batch of honey. Honey homogenizer consists of an atmospheric horizontal cylindrical vessel with a special jacket for steam / water heating and a screw stirrer. The heating jacket is located over the entire cylindrical portion of the homogenizer.

Dispenser- Honey filler

NORMIT DF. The dosage is based on the tensometric principle. Tensometric platform is installed (construction work on the customer's side) in the concrete floor at the same level as the floor. Pallet with a barrel or empty barrel is stored on the platform, Honey filling is carried out using a self-priming pump. Once the desired volume is reached, it automatically shuts down.



Technical drawings



NORMIT FOOD, s. r. o.
Pezinská cesta 5104
901 01 Malacky, SLOVAKIA

Skype:
manager.normit

Telephone number:
+421 902 400 321

E-mail:
sales@normit.com

Web:
www.normit.com